










QUANTITIES SUBJECT TO CHANGE - CONTACT LDPI FOR AVAILABILITY						
Explosion Proof CID1						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LEXS	Explosion Proof CI,D1 / CI,D2 Paint Spray Listed	LEXS-L1-V1-5-V110-D	40W / 3800Lm	5,000K	3
			LEXS-L1-V1-4-V110-D	40W / 3520Lm	4,000K	30
			LEXS-L1-V1-4-V110-C	40W / 4480Lm	4,000K	19
		Accessories	PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"			10
			PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"			22
			LEXSG2-L4-V1-5-V110-D-PB	80W / 8690Lm	5000K	25
	LEXSG2 Next Generation Explosion Proof		LEXSG2-L4-V1-5-V110-C-PB	80W / 11200Lm	5000K	8
		CI,D1, CI,D2 Paint Spray Listed	LEXSG2-L4-V1-4-V110-D-PB	80W / 8690Lm	4000K	84
			LEXSG2-L4-V1-4-V110-c-PB	80W / 11200Lm	4000K	7
Explosion Proof CID1						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LEXF1	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII, Paint/Spray Listed	LEXF1-L1-V1-5-T5-C	21W / 4220Lm	5,000K	11
			LEXF1-L2-V1-5-T5-D	40W / 5200Lm	5,000K	8
			LEXF1-L2-V1-5-T5-C	40W / 6500Lm	5,000K	12
			LEXF1-L4-V1-5-T2-C	60W / 7600Lm	5,000K	20
			LEXF1-L4-V1-5-T5-D	60W / 7130Lm	5,000K	22
			LEXF1-L4-V1-5-T5-C	60W / 8510Lm	5,000K	28
Accessories	PB02-BK Yoke Mount			53		
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LEXF	Explosion Proof CI,D1 / CI,D2 CII,D2 / CIII	LEXF-L1-V1-3-V120-C	80W / 9720Lm	3,000K	2
			LEXF-L2-V1-4-V120-C	100W / 11760Lm	4,000K	13
		Accessories	SN01-BK slip fitter			9
			SN01 slip fitter			31
			WG01 Wire Guard			17
	LEXFG2 Next Generation Explosion Proof	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L1-V1-4-V120-C-PB	80W / 8690Lm	4000K	4
			LEXFG2-L1-V1-5-V120-C-PB	80W / 8690Lm	5000K	18
			LEXFG2-L3-V1-5-V120-C-PB	120W / 8690Lm	5000K	18











	LEXFG2 Next Generation Explosion Proof	CI,D1, CI,D2 Paint Spray Listed	LEXFG2-L4-V1-5-V120-C-PB	150W / 21,230Lm	5000K	14	
		Accessories	SN01-BK slip fitter				9
			SN01 slip fitter				31
			WG01 Wire Guard				17
			PH01 Pendant Hook Mount				16
HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII							
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025	
	LEHL1	Hazardous CI,D2 CII.D1&2	LEHL1-L1-V1-4-V110-C-U	45W / 6375Lm	4,000K	6	
			LEHL1-L2-V1-5-V110-D-P	65W / 8650Lm	5,000K	1	
			SN9002 Stanchion-90° / 1-1/2			1	
	Accessories	SN2501 Stanchion - 25° 1 - 1/4				3	
		SN2502 Stanchion-25° / 1-1/2				Currently out of stock	
		WG03 SS Wire guard-globe lens				2	
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025	
	LEHL1G2 Next Generation Hazardous Location	Hazardous CI,D2, CII,D1&2, CIII	LEHL1G2-L3-V1-5-V120-C-PG	45W / 6750Lm	5,000K	42	
			LEHL1G2-L3-V1-4-V120-DL-PG	45W / 6060Lm	4,000K	10	
			LEHL1G2-L6-V1-5-V120-C-PG	65W / 10760Lm	5,000K	42	
	Accessories	WL90-M Wall-90°				15	
		WL25-M Wall-25°				Currently out of stock	
		SN2503 Stanchion-25° / 1-1/2				92	
		SN2504 Stanchion-25° / 1-1/2				28	
		SN9003 Stanchion - 90° 1 - 1/4				29	
		SN9004 Stanchion-90° / 1-1/2				13	
		UB01 U Bracket				20	
		SN01 Slipfitter mount bracket				31	
		WG02 SS Wire guard-flat lens				10	
		WG06 SS Wire guard-diffused drop lens				8	
		PH01 Pendant Hook Mount				16	
PC01 Pole Mount Pipe Clamp 316 S.S. 1 7/8"					10		
PC02 Pole Mount Pipe Clamp 316 S.S. 2 3/8"				22			

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII



	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025	
	LEHL2	Hazardous CI,D2 CII,D1&2 CIII		LEHL2-L1-V1-5-T5-C-P	80W / 12630Lm	5,000K	36
			LEHL2-L1-V1-5-T5-DP-P	80W / 8830Lm	5,000K	Currently out of stock	
			LEHL2-L1-V1-5-T5-DL-P	80W / 12290Lm	5,000K	12	
			LEHL2-L2-V1-5-T5-C-P	120W / 19230Lm	5,000K	28	
			LEHL2-L2-V1-5-T5-DP-P	120W / 13250Lm	5,000K	10	
			LEHL2-L3-V1-5-T5-C-P	150W / 23630Lm	5,000K	11	
			LEHL2-L3-V1-5-T5-DL-P	150W / 20950Lm	5,000K	10	
			LEHL2-L4-V1-5-T5-C-P	200W / 28940Lm	5,000k	40	
			LEHL2-L4-V1-5-T5-DL-P	200W / 27795Lm	5,000k	17	
			LEHL2-L4-V1-4-T5-C-P	200W / 28940Lm	4,000k	18	
Accessories			SN9003 Stanchion-90° / 1-1/4				29
			SN9004 Stanchion-90° / 1-1/2				13
			SN2503 Stanchion - 25° 1 - 1/4				92
			SN2504 Stanchion-25° / 1-1/2				28
			WG07 SS Wire guard-flat lens				25
			WG08 SS Wire guard-globe lens				9
			SN01 Slipfitter mount bracket				31
			WL90-M Wall-90°				15
			PB03 U Bracket 304 Stainless Steel				38

HAZARDOUS CLASSIFICATION CID2, CII D1 and D2, CIII

	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LEHS	Hazardous CI,D2 CII,D1&2 CIII		LEHS-L1-V1-3-V110-D	40W/6180Lm	3,000k
			LEHS-L2-V1-5-V110-C-EM	80W / 11490Lm	5,000K	2
Accessories			HK04 Eyebolt Hanging Kit			35
	LEHSG2 Next Generation Hazardous	Hazardous CID2, CIID1 & CIID2	LEHSG2-L2-V1-5-V110-C-PG	40W / 5790Lm	5000K	5
			LEHSG2-L2-V1-4-V110-D-PG	40W / 4860Lm	4000K	12
			LEHSG2-L3-V1-5-V110-C-PG	60W / 9,180Lm	5000K	11
			LEHSG2-L4-V1-4-V110-D-PG	80W / 10,130Lm	4000K	12
			LEHSG2-L4-V1-5-V110-C-PG	80W / 12,030Lm	5000K	18
			LEHSG2-L4-V1-5-V110-D-PG	80W / 10,780Lm	5000K	3

ORDINARY LOCATION LED BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LE180	Ordinary Location	LE180-L2-V1-5-D	75W /9220Lm	5,000K	12
RECESS MOUNT C1D2 LED PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LE484	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE484-L1-V1-5-D	75W /8270 Lm	5,000K	171
			LE484-L1-V1-5-T	75W /9070 Lm	5,000K	3
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	LE485E (inside access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	LE485E-62-W1-V1-A-5-WH-H	62W/6330	5,000K	25
			LE485E-62-W2-V1-A-5-WH-H	62W/6330	5,000K	20
FLUORESCENT PAINT AND POWDER BOOTH FIXTURES						
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	229H	Ordinary	229H-T8-4L-120-277	32W / T8		36
			229H-T8-4L-120-277-NW	32W / T8		33
	Series	Classification	Part Number ID	Wattage/Lumens	CCT	On Hand 4.18.2025
	SLIM LIGHT (Inside Access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	390440-3546	32W / T8		15
			400 Series (Rear Access)	390231-3546	17W / T8	
	400 Series (Rear Access)	Hazardous CI,D2 / CII,D2 Paint Booth listed	390441-3546	32W / T8		10
			380 Series	Explosion Proof CI D1& DII / CII D1&2 Paint Booth listed	380-T5HO-2L-4-UNV-EM-HB	54w/T5HO
380-T8-4L-4-UNV	32w/T8				4	



Lens Film Paint Booth Light Protection					
 			Part Number	Dimensions	On Hand 4.18.2025
			3263	12"x100'	18
			3188	18"x100'	26
			4348	25"x100'	5
			3312 Dispensor handle for 12 or 18" roll only		2
*Quick ship items ship approximately 24-48 hours after receipt of an order					
**Standard Payment and Freight Terms apply for all					